

How to promote your BSI certification.

Guidelines for clients



1.0 Overview.

1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)
2.1 Kitemark™ (marketing logo)

3.0 Management systems
3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product
Certification Mark

Thank you for choosing BSI. We value your business with us.

When you achieve certification with BSI, you'll be able to make your own mark by using the BSI Mark of Trust and the associated suite of promotional logos. They are valuable marketing tools that can be used to promote your organization as they signal a clear achievement and can offer a competitive advantage. We're recognized globally as one of the most experienced independent assessors of best practice. That means you'll also get international recognition as a business that achieves standards of excellence every day, helping you to open new markets, secure existing ones and compete with confidence.

This document contains important information to help you use the correct BSI mark for your business and show your customers about your commitment to excellence.



1.0 Overview.

The table below shows the name of each of our visual assets which contain the BSI Mark of Trust.

1.0 Overview

1.1 How to use the BSI Mark of Trust

1.2 Where can I use the BSI Mark of Trust?

1.3 Accessing your Mark of Trust logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification






5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product Certification Mark

 <p>The BSI Mark of Trust product logo (This is the product logo for use on Kitemark certified products only)</p>	 <p>BSI Mark of Trust "Verified" Marketing logo (For verification only)</p>
 <p>BSI Mark of Trust "Kitemark" Marketing logo (For Kitemark certification only)</p>	 <p>The BSI Mark of Trust "Professional" or "Practitioner" promotional badge (For training qualifications only)</p>
 <p>BSI Mark of Trust "Certified" Marketing logo (For management system certification only)</p>	

1.0 Overview

1.1 How to use the BSI Mark of Trust

1.2 Where can I use the BSI Mark of Trust?

1.3 Accessing your Mark of Trust logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules


8.0 Reversed (white) logo

9.0 Benchmark Product Certification Mark

1.1 How to use the BSI Mark of Trust marketing logo to promote your achievement.

A BSI Mark of Trust marketing logo can be used as valuable tool to promote your certification. It helps show customers about your commitment to excellence.

The type of marketing logo you will need to use will depend on the services you get from BSI.



If you hold BSI Kitemark certification you can use the marketing logo containing the word "KITEMARK™".



If you hold management system certification (such as ISO 9001 Quality Management), you can use the marketing logo which contains the word "CERTIFIED".



If you have a BSI Verification certificate you can use the marketing logo which contains the word "VERIFIED".



If you have gained a qualification with the BSI Training Academy, you can use the badge which contains the word "CERTIFIED PROFESSIONAL", "PROFESSIONAL" or "PRACTITIONER" to promote your achievement.

The logos which are relevant to your organization will be made available to you online through the BSI Connect Portal.

1.0 Overview

**1.1 How to use the
BSI Mark of Trust**

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)
2.1 Kitemark™ (marketing logo)

3.0 Management systems
3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product
Certification Mark

1.1 How to use the BSI Mark of Trust marketing logo to promote your achievement.

BSI Mark of Trust marketing logo can be applied to the following (subject to individual restrictions):

- **Advertising**
- **Stationery**
- **Websites**
- **Office space**
- **Vehicles**
- **Internal communication**
- **Press releases**
- **Social media**
- **Reports**

1.0 Overview
1.1 How to use the BSI Mark of Trust

1.2 Where can I use the BSI Mark of Trust?

1.3 Accessing your Mark of Trust logos

2.0 Kitemark™ (product logo)
2.1 Kitemark™ (marketing logo)

3.0 Management systems
3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product Certification Mark

1.2 Where can I use the BSI Mark of Trust marketing logo?

The table below shows where each of the BSI Mark of Trust marketing logo types can be used.

Can I use the BSI Mark of Trust on...



	BSI "KITEMARK" marketing logo	BSI "CERTIFIED" marketing logo	BSI "VERIFIED" marketing logo	BSI promotional badge for qualifications	UKAS Accreditation Mark (see section 7)	ANAB Accreditation Mark (see section 7)
Marketing material Brochures, advertisements, annual reports, corporate presentations, case studies, etc.	Yes	Yes	Yes	No	Yes	Yes
Online (corporate) On websites, social media, email marketing, corporate email signatures, etc.	Yes	Yes	Yes	No	Yes	Yes
Corporate stationery Letterheads, compliment slips, invoices, presentation folders etc.	Yes	Yes	Yes	No	Yes	Yes
CVs, LinkedIn profiles, personalized email signatures, personal stationary	No	No	No	Yes	No	No
Vehicles, promotional items, exhibition banners, flags or external buildings	Yes	Yes	Yes	No	No	No
Products Physical products,	Yes	No	No	No	No	No
Certificates Product certificates, certificates of analysis or testing	No	No	No	No	No	No
Product packaging	Yes	No	No	No	No	No

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?


1.3 Accessing your Mark of Trust logos

- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

1.3 Accessing your Mark of Trust logos

Kitemark, management systems and verification

As soon as your first BSI certificate becomes active, you'll gain access to the BSI Connect Portal, where you can access all the logos you need. You'll receive an email with instructions to activate and set up your account.



Qualifications

Mark of Trust badges for individuals who have validated their BSI training with a qualification are available from the Online Learning Portal. For Certified Professionals, use of the mark of trust is timebound as per your personal certification programme.

If you have any issues in accessing the BSI Connect Portal or Online Learning Portal, please contact your local BSI office.

2.0 BSI Kitemark™ certification

1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo


9.0 Benchmark Product
Certification Mark

2.0 BSI Kitemark™ certification: how to use the Mark of Trust product logo.

The Mark of Trust product logo may only be used by clients holding a valid Kitemark certificate to mark their Kitemark certified products.

The Mark of Trust product logo is a valuable marketing tool that you can use to promote your Kitemark certified products and services. It can be displayed on a product if it has met the criteria of the Kitemark standard or scheme as stated in the scope of your BSI Kitemark certificate.

The Mark of Trust product logo may not be used on promotional materials as the Kitemark marketing logo should be used for that purpose.



**BSI Kitemark™ certificate number and product standard number
(shown as 'XXX...')**

Tahoma Regular
Minimum size: 5pt

1. BSI Kitemark™ certificate number e.g. KM 123456
2. Product standard number e.g. BS EN ISO 123456
3. Certification scheme name e.g. Safety Glass

1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product
Certification Mark

2.0 BSI Kitemark™ certification: how to use the Mark of Trust product logo.

When using the Mark of Trust product logo there are some simple guidelines to follow.

- Use your BSI Kitemark certificate number and Product Standard number and scheme name in the same colour as the Mark of Trust product logo
- Contact the Brand team for guidance when using the Mark of Trust logo together with another certification marketing logo (for example, using the BAFE logo with a Fire Alarm certification scheme)
- Contact the BSI Brand team if you need information or suggestions on how to apply the mark
- Don't use the BSI Mark of Trust product logo on any product that is not BSI Kitemark certified
- Don't alter the proportions of the BSI Mark of Trust product logo
- Don't reduce the BSI Mark of Trust product logo height to less than 6mm
- Don't allow third parties to use the BSI Mark of Trust product logo without written approval from BSI and in accordance with an approved sub-licence agreement

Using the word BSI Kitemark in text

The word 'Kitemark' is one word and must be written with a capital 'K.'

The words 'BSI Kitemark' must be followed by the ™ symbol when it is used in a title or heading, a sub-heading or in the first instance. The trademark symbol doesn't need to be used in body copy.

2.0 BSI Kitemark™ certification: how to use the Mark of Trust product logo.

1.0 Overview

1.1 How to use the BSI Mark of Trust

1.2 Where can I use the BSI Mark of Trust?

1.3 Accessing your Mark of Trust logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product Certification Mark


Examples



- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)**
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

2.1 How to use the Kitemark™ marketing logo.

To showcase your Kitemark certification, display the BSI Kitemark marketing logo including the standard or certification scheme name on your sales and marketing material or product packaging.



Colour	Pantone® Process Black
CMYK	0 0 0 100
RGB	0 0 0
Hex	0000001

BSI Kitemark™ certificate number and product standard number (shown as 'XXX...')

Tahoma Regular
Minimum size: 5pt

1. BSI Kitemark certificate number e.g. KM 123456
2. Standard number e.g. BS EN ISO 123456

By adding your Kitemark™ certificate number, it makes your product or service verifiable. Your customers can authenticate your product or service using the BSI Product directory

bsigroup.com/Product-Directory

1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product
Certification Mark

2.1 How to use the Kitemark™ marketing logo.

When using the BSI Kitemark marketing logo there are some simple guidelines to follow.

- Use the BSI Kitemark marketing logo only in black or white, so it's instantly recognized as representing Kitemark certification - please see page 39 for details on the white (reversed) option
- Only use the BSI Kitemark marketing logo for the standard or scheme to which you are certified
- Make sure the BSI Kitemark marketing logo is legible and the copy is readable - these guidelines include recommended minimum sizes
- Please add your Kitemark™ certificate number underneath the BSI Kitemark marketing logo (as detailed on page 12)
- If using the BSI Kitemark marketing logo online, you can use a hyperlink to the BSI website
- Contact the Brand team for guidance when using BSI Kitemark marketing logo together with another certification marketing logos (for example, using the BAFE logo with a Fire Alarm Installer scheme)
- Contact the BSI Brand team if you need information or suggestions on how to apply the marketing logo

2.1 How to use the Kitemark™ marketing logo.

When using the BSI Kitemark marketing logo there are some simple guidelines to follow.

1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications


6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product
Certification Mark

- Don't change the colour, text or proportions of the BSI Kitemark marketing logo
- Don't reduce the height of the BSI Kitemark marketing logo to less than 9mm
- Don't use the BSI Kitemark marketing logo in association with any product or service outside the scope of your certification
- The BSI Kitemark marketing logo is specific to the certified organization and may not be transferred to or used by other companies within the same group of companies
- Don't use the black version of the BSI Kitemark marketing logo on a dark background as shown below, please use the reversed BSI Kitemark marketing logo instead




3.0 Management systems

3.0 How to use the marketing logo for management systems certification.

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
 - 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems**
 - 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

Tell your customers about your commitment to achieving and maintaining excellence by using the BSI 'Certified' marketing logo. It's an internationally recognized mark that represents quality, reliability and continual improvement. The BSI 'Certified' marketing logo is a valuable marketing tool that you can use to promote your certification, offering your organization a competitive advantage.

Examples



1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product
Certification Mark

3.0 How to use the marketing logo for management systems certification.

This is for organizations whose management systems have met the requirements of the relevant management system standard and achieved certification. The BSI 'Certified' marketing logo is a powerful marketing tool as it not only tells your customers that you're certified by BSI, but it also tells them which standard you're certified to. Promoting the specific standard(s) you have been certified to builds trust with your customers, differentiates you from your competitors and means your certification is easily recognizable in the marketplace.

You can use the "certified" marketing logo on your sales and marketing materials. These guidelines are provided to help you to display it correctly.



By adding your certificate number, it makes your BSI certification verifiable. Your customers can authenticate your certification using the BSI Directory of Certified Clients.

bsigroup.com/our-services/certification/certificate-and-client-directory

1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product
Certification Mark

3.0 How to use the marketing logo for management systems certification.

When using the BSI “Certified” marketing logo there are some simple guidelines to follow.

- Use the BSI ‘Certified’ marketing logo only in black or white, so it’s instantly recognized - please see page 39 for details on the white (reversed) option
- Make sure the BSI ‘Certified’ marketing logo is legible and the copy is readable - these guidelines include recommended minimum sizes
- Only use the BSI ‘Certified’ marketing logo for the standard to which you are certified
- If using the BSI ‘Certified’ marketing logo online, you can use a hyperlink to the BSI website
- Be clear which organization the BSI ‘Certified’ marketing logo relates to - this means including your company logo or trademark on any corporate communications where the BSI ‘Certified’ marketing logo is featured
- Contact the BSI Brand team if you need information or suggestions on how to apply the marketing logo
- Please add your certificate number underneath the BSI ‘Certified’ marketing logo (as detailed on page 17)

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems**
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

3.0 How to use the marketing logo for management systems certification.

When using the BSI “Certified” marketing logo there are some simple guidelines to follow.

- Don't reduce the height of the BSI 'Certified' marketing logo to less than 9mm
- Don't add or alter text of the BSI 'Certified' marketing logo
- Don't display the BSI certification mark on a product or its packaging as this will imply the product has been certified by BSI
- Don't use the BSI 'Certified' marketing logo on product certificates (e.g. certificates of analysis, conformity, calibration certificates or testing certificates)
- Don't use the BSI 'Certified' marketing logo in association with any activity or service outside the scope of your certification
- The BSI 'Certified' marketing logo is specific to the certified organization and may not be transferred to or used by other companies within the same group of companies
- Don't use the black version of the BSI 'Certified' marketing logo on a dark background as shown below, please use the reversed BSI 'Certified' marketing logo instead



- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems**
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

3.0 How to use the marketing logo for management systems certification.

When using the BSI “Certified” marketing logo there are some simple guidelines to follow.

Referring to your certification in text

If it isn't appropriate to use the BSI 'Certified' marketing logo, you can use the approved text to promote your certification. Please make sure it's clear that your management system has been certified - not the product.

<Standard number> <standard name> (optional) certified by BSI under certificate number <certificate number>

For example: 'ISO 9001 certified by BSI under certificate number FM123456' or 'ISO 9001 Quality Management certified by BSI under certificate number FM123456'

If you have multiple certifications, list these one after each other: 'ISO 9001 and ISO 14001 certified by BSI under certificate numbers FM123456, FM 987654' or 'ISO 9001 Quality Management and ISO 14001 Environmental Management certified by BSI under certificate numbers FM123456, FM987654'


- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
 - 3.1 HACCP & GMP certification**
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

3.1 Use of the BSI marketing logo for HACCP & GMP certification.

The BSI logo for HACCP & GMP certification shall follow the guidelines for use of the marketing logo for management system certification (pages 17-20 of this document).

Whilst the product itself or primary packaging must not bear the BSI marketing logo for HACCP & GMP certification, the BSI marketing logo for HACCP & GMP certification can be used on the secondary packaging (i.e. outer packaging) of a product. Where it is used on **secondary packaging**, the mark must be accompanied by the words “Manufactured/produced under a BSI certified HACCP & GMP management system” or appropriate derivative (see examples below).

BSI certificate number shall be displayed underneath the logo as shown below ‘XXX...’ e.g. GMP123456 or HACCP123456



4.0 Verification

1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product
Certification Mark


4.0 How to use the BSI marketing logo for verification.

The BSI 'Verified' marketing logo is for organizations with:

- Self-declared products or services whose technical information been verified by BSI and a verification certificate has been issued
- Greenhouse Gas (GHG) verifications statements that been verified by BSI and a verification opinion has been issued (for example ISO 14064-1, PAS 2060 and ISO 14067)

The BSI 'Verified' marketing logo is a powerful marketing tool as it not only tells your customers that your product has been verified by BSI, but it also tells them what it's been verified against. Promoting what your organization, product or service has been verified against builds trust with your customers, differentiates you from your competitors and means your verification is easily recognizable in the marketplace.

Whether you choose to display the BSI 'Verified' marketing logo on sales and marketing material, is up to you. These guidelines are provided to ensure the BSI 'Verified' marketing logo is displayed correctly.



- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification**
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

4.0 How to use the BSI marketing logo for verification.

When using the BSI “Verified” marketing logo there are some simple guidelines to follow.

- You should only use the BSI ‘Verified’ marketing logo in black or white, so it’s instantly recognized - please see page 39 for details on the white (reversed) option
- Only use the BSI ‘Verified’ marketing logo to show the product or services it has been verified against
- Make sure the BSI ‘Verified’ marketing logo is legible and the copy is readable - these guidelines include recommended minimum sizes
- If using the BSI ‘Verified’ marketing logo online, you can use a hyperlink to the BSI website
- Contact the Brand team for guidance when using the BSI ‘Verified’ marketing logo in conjunction with other marketing logos
- Contact the BSI Brand team if you need information or suggestions on how to apply the marketing logo.

By adding your certificate number, it makes your BSI certification verifiable. Your customers can authenticate your certification using the BSI Directory of Certified Clients.

bsigroup.com/our-services/certification/certificate-and-client-directory

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification**
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

4.0 How to use the BSI marketing logo for verification.

When using the BSI “Verified” marketing logo there are some simple guidelines to follow.

- Don't change the colour, text or proportions of the BSI 'Verified' marketing logo
- Don't reduce the BSI 'Verified' marketing logo to any height less than 9mm
- Don't use the BSI 'Verified' marketing logo in association with any product or service outside the scope of what you have had verified
- The BSI 'Verified' marketing logo is specific to the certified organization and may not be transferred to or used by other companies within the same group of companies
- Don't display the BSI 'Verified' marketing logo on a product, it should only be used on sales and marketing material
- Don't use the black version of the BSI 'Verified' marketing logo on a dark background as shown below, please use the reversed BSI 'Verified' marketing logo instead



5.0 Qualifications

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications**
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

5.0 Qualifications - how to use your promotional badge.

The BSI **'Certified Professional'**, **'Professional'**, **'Practitioner'** and **'Foundation'** badges are for individuals who have validated their BSI training with a qualification. They are not for use by organizations. The badges are powerful marketing tools as they not only tell your customers and other professional networks you may have that you have a BSI qualification, but they also tell them what your qualification relates to. This could help your professional profile to stand out.

These guidelines are provided to ensure the 'Certified Professional', 'Professional', 'Practitioner' and 'Foundation' badges are displayed correctly when you display them on your CV, LinkedIn profile or email signature, or on all of these.



1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product
Certification Mark

5.0 Qualifications - how to use your promotional badge.

When using the BSI **'Certified Professional'**, **'Professional'**, **'Practitioner'** and **'Foundation'** badge there are some simple guidelines to follow.

- Use the BSI **'Certified Professional'**, **'Professional'**, **'Practitioner'** or **'Foundation'** badge with your personal qualification number written underneath it, using the Tahoma font
- You should only use the BSI **'Certified Professional'**, **'Professional'**, **'Practitioner'** or **'Foundation'** badge in black or white, so it's instantly recognized - please see page 39 for details on the white (reversed) option
- Only use the BSI **'Certified Professional'**, **'Professional'**, **'Practitioner'** or **'Foundation'** badge for the qualification you have gained
- BSI **'Certified Professional'**, **'Professional'**, **'Practitioner'** or **'Foundation'** badge relates to - this means including the qualified individual's name on any corporate communications where the BSI qualification badge is featured
- Make sure the BSI **'Certified Professional'**, **'Professional'**, **'Practitioner'** or **'Foundation'** badge is legible and the copy is readable - these guidelines include recommended minimum sizes
- If using the BSI **'Certified Professional'**, **'Professional'**, **'Practitioner'** or **'Foundation'** badge online, you can use a hyperlink to the BSI website

1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules


8.0 Reversed (white) logo

9.0 Benchmark Product
Certification Mark

5.0 Qualifications - how to use your promotional badge.

When using the BSI **'Certified Professional', 'Professional', 'Practitioner'** or **'Foundation'** badge there are some simple guidelines to follow.

- Don't add or alter text of the BSI **'Certified Professional', 'Professional', 'Practitioner'** or **'Foundation'** badge
- Don't display the BSI **'Certified Professional', 'Professional', 'Practitioner'** or **'Foundation'** badge on a product or its packaging as this will imply the product has been tested or certified by BSI
- Don't use the BSI **'Certified Professional', 'Professional', 'Practitioner'** or **'Foundation'** badge in association with any activity or service outside the scope of your qualification
- The BSI **'Certified Professional', 'Professional', 'Practitioner'** or **'Foundation'** badge is specific to the individual and may not be transferred to or used by an organization
- Don't use the black version of the BSI **'Certified Professional', 'Professional', 'Practitioner'** or **'Foundation'** badge on a dark background as shown below, please use the reversed badge instead



- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications**
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

5.0 Qualifications - how to use your promotional badge.

Referring to your qualification in text

If it isn't appropriate to use the BSI 'Certified Professional', 'Professional', 'Practitioner' or 'Foundation' badge you can use the approved text to promote your qualification. Please make sure it's clear that an individual has been awarded the qualification - not an organization. The text description closely follows what's written in the logo:

BSI [standard #####] [type of qualification]

For example: **BSI BIM Project Information Certified Professional**

If you have multiple qualifications with BSI, list these one after each other, for example:

BSI BIM Project Information Certified Professional

BSI BIM Asset Information Practitioner

6.0 Multi-scheme logos

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos**
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

6.0 Multi-scheme logos.

If you have more than one certification or qualification with BSI, you may be able to use a multi-scheme logo. The multi-scheme logo consolidates all of your organization's certifications, or your own training qualifications within one device.

Please note: certification logos for businesses and qualification logos for individuals cannot be combined within a single device.

Multi-scheme logos are available by contacting the brand team: brand@bsigroup.com



7.0 Accreditation Mark rules

1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo


9.0 Benchmark Product
Certification Mark

7.0 Accreditation Mark rules.

If your certificate shows the ANAB Accreditation Mark or should you wish to reinforce the fact that you have been assessed by an accredited certification body, you may wish to use the following logo.

When using the Accreditation Mark here are some simple rules to follow.

- Only use the Accreditation Mark relevant to standard to which you are certified – the Accreditation Mark can be found on your BSI certificate
- You should only use the Accreditation Mark in black (shown here) or full-colour (shown on the following page) so it's instantly recognized
- Use the Accreditation Mark with the certificate number written underneath it, as shown (as 'XX XXXXX') on this page using the Tahoma font.



Black
Pantone® Process Black
CMYK 0 0 0 100
RGB 0 0 0
Hex 000000

- Be clear which organization the Accreditation Mark relates to. This means including your company logo or trademark on any corporate communications as well as the Accreditation Mark
- Make sure the Accreditation Mark is legible and the copy readable. These guidelines include recommended minimum sizes

7.0 Accreditation Mark rules.

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
 - 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
 - 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules**
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

Accreditation Mark rules continued:

- Don't add or alter text within the Accreditation Mark
- Don't use the Accreditation Mark on products, or product certificates (e.g certificates of analysis, conformity, calibration certificates or testing certificates)
- Don't use the Accreditation Mark in association with any activity or service outside the scope of your certification -the Accreditation Mark is specific to the certified organization and may not be transferred to or used by other companies within the same group of companies
- Don't display the Accreditation Mark on a product or its packaging as this will imply the product itself has been tested by BSI
- Don't use the Accreditation Mark on promotional items, vehicles, flags or external buildings
- Don't display the Accreditation Mark independently of the BSI Mark of Trust




- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules**
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

7.0 Accreditation Mark rules.

If your certificate shows the UKAS Accreditation Mark or should you wish to reinforce the fact that you have been assessed by an accredited certification body, you may wish to use the following logo.

When using the Accreditation Mark here are some simple rules to follow.

- Only use the Accreditation Mark relevant to standard to which you are certified – the Accreditation Mark can be found on your BSI certificate
- You should only use the Accreditation Mark in black (shown here) or full-colour (shown on the following page) so it's instantly recognized
- Use the Accreditation Mark with the certificate number written underneath it, as shown (as 'XX XXXXX') on this page using the Tahoma font.



- Be clear which organization the Accreditation Mark relates to. This means including your company logo or trademark on any corporate communications as well as the Accreditation Mark
- Make sure the Accreditation Mark is legible and the copy readable. These guidelines include recommended minimum sizes

7.0 Accreditation Mark rules.

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules**
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark

Accreditation Mark rules continued:

- Don't add or alter text within the Accreditation Mark
- Don't use the Accreditation Mark on products, or product certificates (e.g certificates of analysis, conformity, calibration certificates or testing certificates)
- Don't use the Accreditation Mark in association with any activity or service outside the scope of your certification -the Accreditation Mark is specific to the certified organization and may not be transferred to or used by other companies within the same group of companies
- Don't display the Accreditation Mark on a product or its packaging as this will imply the product itself has been tested by BSI
- Don't use the Accreditation Mark on promotional items, vehicles, flags or external buildings
- Don't display the Accreditation Mark independently of the BSI Mark of Trust



8.0 Reversed (white) logo

8.0 Reversed (white) logo.

1.0 Overview

1.1 How to use the BSI Mark of Trust

1.2 Where can I use the BSI Mark of Trust?

1.3 Accessing your Mark of Trust logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications


6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

9.0 Benchmark Product Certification Mark

The reversed (white) BSI Mark of Trust marketing logo can be used where the primary BSI Mark of Trust marketing logo (black) is not suitable for use - i.e. on a darker background or image. Both variations of the BSI Mark of Trust marketing logo are available via the BSI Connect Portal, but please contact brand@bsigroup.com if you have any queries.



■	Colour	Pantone® Process Black
	CMYK	0 0 0 100
	RGB	0 0 0
	Hex	0000001

□	Colour	White
	CMYK	0 0 0 0
	RGB	255 255 255
	Hex	FFFFFF

9.0 Benchmark Product Certification Mark

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo

9.0 Benchmark Product Certification Mark

9.0 Benchmark Product Certification Mark.

Benchmark Product Certification Mark use for Type 5 Schemes

BSI's Benchmark Certification Mark can be applied directly to the certified product by stamping, printing, moulding, etching, or labelling.

The Product Certification Mark can also be applied to the certified product packaging, information sheet or advertising materials.

The unique BSI Benchmark Certification BMP number issued to you and the standard reference should also be applied directly to the certified product.

Clients having achieved a Benchmark Certification may use either:

- BSI's Benchmark Certification Mark; or
- BSI's Benchmark Certification Mark and the JAS-ANZ Symbol, where the programme is accredited through JAS-ANZ

Should both marks be used, they should remain adjacent to one another and identically proportional to the artwork supplied. The client's name or their own mark should be visible whenever either of the marks is used.

Please note: all relevant logos will be sent to clients at certification stage. Where there is a requirement to mark materials sooner, please contact your local marketing team.

9.0 Benchmark Product Certification Mark: examples.

1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

**9.0 Benchmark Product
Certification Mark**

Benchmark Product Certification Mark use for Type 5 Schemes




- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo

9.0 Benchmark Product Certification Mark


9.0 Benchmark Product Certification Mark: examples.

Benchmark Bicycle Helmet label



Scheme-specific information

Benchmark Fire Extinguisher label



Scheme-specific information

Important: as a requirement by the regulative authorities in Australia and New Zealand, Bicycle Helmet and Fire Extinguisher labels must be represented using the colours shown and background materials described below. Label artwork is made available to clients at certification stage. Where there is a requirement to mark materials sooner, please contact your local marketing team.

Colours:



Pantone (PMS)

Reflex Blue
Reflex Blue 50%
485

CMYK

C.100. M.72. Y.0 K.6
C.50. M.36. Y.0 K.3
C.0. M.100. Y.91 K.0

Background materials:

Mylar type material gloss silver (UV stabilized, water and weather resistant and colourfast to water and perspiration). The label shall include a tamper proof mechanism such as 'Void label stock'.

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark**

9.0 Benchmark Product Certification Mark.

Logo files for the Benchmark Certification Mark can be obtained by contacting your local BSI team.

Alternative presentations of the Benchmark Product Certification Mark may be necessary on small products, or where there are other process or product limitations. In these circumstances, please contact your local BSI team for assistance.

Alternative statements

In some cases, clients may include an additional statement, typically used on product packaging or marketing literature, to further explain the Benchmark Product Certification Mark and its relationship to the Joint Accreditation System of Australia (JAS-ANZ). The following wording is recommended

“This product is marked with BSI’s Benchmark Product Certification Mark. This indicates that the certification of our product is based upon technical documentation and an annual review of our manufacturing and quality control process to monitor our ability to consistently produce products in compliance with AS/NZS xxxx. BSI BMP No xxxx.”

“This Product Certification Mark is accredited by the Joint Accreditation System of Australia and New Zealand (JAS-ANZ see: www.jas-anz.org)

Any alternative to the above statement must be approved by BSI.

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark**

9.0 Benchmark Product Certification Mark.

Benchmark Product Certification Logo Use For Type 1 Schemes and Type 5 Schemes

To also assist in the marketing and packaging of your Certified Product you can utilise the Product Certification Logo as shown below:



Limitations.

The Product Certification Mark may only be used in advertising that is specific to the Certified Product. When more than one product is being advertised, the Product Certification Mark may only be used in association with the specific products shown on your Certification Schedule. You are not allowed to use your product certification in such a manner as to bring BSI into disrepute or make any statements regarding product certification which BSI may consider misleading or unauthorised.

Suspension or Cancellation.


Upon suspension or cancellation of your Certificate of Certification and Certification Schedule, you must discontinue the use of printed or advertising matter that contains any reference to the Product Certification Mark and BMP Number from the date of suspension or cancellation.

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
- 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
- 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo

9.0 Benchmark Product Certification Mark

9.0 Benchmark Product Certification: JAS-ANZ accreditation recognition mark.

If your Certificate of Registration bears the JAS-ANZ accreditation mark, or you have been advised that BSI is accredited for these activities, then the JAS-ANZ mark may be used together with the Product Certification Mark. JAS-ANZ impose additional requirements for the third-party usage of their accreditation mark.



1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)
2.1 Kitemark™ (marketing logo)

3.0 Management systems
3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

**9.0 Benchmark Product
Certification Mark**

9.0 Benchmark Product Certification: JAS-ANZ accreditation recognition mark.

As a BSI registered organization you may use the JAS-ANZ mark in the following ways

- On publicity material, stationery, quotations for work, reports, brochures and any other items relevant to your organization's accredited certification
- Display on internal walls and doors and on exhibition stands, flags and vehicles
- Use the mark embossed or stamped onto paper
- When using the JAS-ANZ accreditation mark, its size must be proportionately equal to the Product Certification Mark
- An organization may not place the JAS-ANZ accreditation mark in isolation from the Product Certification Mark
- A JAS-ANZ accreditation mark shall not be used by a BSI client on any document unless the document relates in whole or in part to certification activities of BSI which are accredited by JAS- ANZ
- JAS-ANZ's accreditation mark shall not be used in such a way as to suggest that BSI and/or JAS-ANZ have certified or approved any process, or service of a certified organization, or in any other misleading manner
- The JAS-ANZ accreditation mark may be stamped, moulded or otherwise incorporated on a certified product. The mark may be embossed or stamped when used on paper
- The URL for the JAS-ANZ Register (www.jas-anz.org/register) must be displayed when the JAS-ANZ Logo has been applied. If the JAS-ANZ mark is used more than once in the same document the URL need only appear in the first instance
- If larger boxes, etc., used for transportation include the mark(s), a clear statement must be included to the effect that the product contained therein was manufactured in a facility with management systems (for example, quality or environmental) certified as being in conformity with (for example, ISO 9001 and ISO 14001)

1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)
2.1 Kitemark™ (marketing logo)

3.0 Management systems
3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo

**9.0 Benchmark Product
Certification Mark**

9.0 Benchmark Product Certification: JAS-ANZ accreditation recognition mark.


As a BSI registered organization you may not:

- Use accreditation marks independently of the Product Certification Mark
- Use accreditation marks on product certificates, (e.g. certificates of analysis, conformity, calibration certificates or testing certificates)
- Display accreditation marks in association with goods or services outside the scope of BSI's accreditation
- Display the marks on a product, or in a way that may be interpreted as denoting product conformity, (e.g. on the product packaging)

JAS-ANZ mark specifications

The JAS-ANZ accreditation mark must be reproduced:

- In blue and red (PMS Reflex Blue and Red PMS485 respectively), with or without URL
- In a single colour to conform to existing documents/stationery
- Uniformly enlarged or reduced but sufficiently large for the wording to be clearly legible
- In a size which makes all features of the mark clearly distinguishable
- Without distortion of its dimensions



An example of how to display
the JAS-ANZ Accreditation
Mark and Benchmark Product
Certification Mark

9.0 Benchmark Product Certification Mark.

1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos

7.0 Accreditation Mark rules

8.0 Reversed (white) logo


**9.0 Benchmark Product
Certification Mark**

Using the Benchmark Product Certification Mark

The Benchmark Product Certification Mark should always be printed in its original proportions:



The logo should be printed with a minimum height of 20mm. The required clear space is defined as double the thickness of the 'C':



1.0 Overview

1.1 How to use the
BSI Mark of Trust

1.2 Where can I use the
BSI Mark of Trust?

1.3 Accessing your Mark of Trust
logos

2.0 Kitemark™ (product logo)

2.1 Kitemark™ (marketing logo)

3.0 Management systems

3.1 HACCP & GMP certification

4.0 Verification

5.0 Qualifications

6.0 Multi-scheme logos









7.0 Accreditation Mark rules

8.0 Reversed (white) logo

**9.0 Benchmark Product
Certification Mark**

9.0 Benchmark Product Certification Mark.

The logo should be printed in two colours. Inks used should be permanent and UV stabilized

		Pantone (PMS) Reflex Blue	CMYK C.100. M.72. Y.0 K.6
		Reflex Blue 50%	C.50. M.36. Y.0 K.3
		485	C.0. M.100. Y.91 K.0
		Black	C.0. M.0. Y.0 K.100
		Black 60%	C.0. M.0. Y.0 K.60
		Black 30%	C.0. M.0. Y.0 K.30

Below are some examples of print on various background colours

Normal



White

Special applications




Blue



Red



Black




White Mono

9.0 Benchmark Product Certification Mark.

- 1.0 Overview
- 1.1 How to use the BSI Mark of Trust
- 1.2 Where can I use the BSI Mark of Trust?
- 1.3 Accessing your Mark of Trust logos
- 2.0 Kitemark™ (product logo)
 - 2.1 Kitemark™ (marketing logo)
- 3.0 Management systems
 - 3.1 HACCP & GMP certification
- 4.0 Verification
- 5.0 Qualifications
- 6.0 Multi-scheme logos
- 7.0 Accreditation Mark rules
- 8.0 Reversed (white) logo
- 9.0 Benchmark Product Certification Mark**

Alternative marks

Application of logo in circumstances is catered by the following variations.



Use alternative mark
when size is less
than 5mm

Further information on Benchmark and JAS-ANZ

Please contact marketing.au@bsigroup.com

Further information.

Images and measurements contained within this document are not necessarily represented to scale.

All information is correct at time of print.

For any queries, or requests for assets or templates, please contact the Brand Team: brand@bsigroup.com.

